

Name	Type	Min	Max	Default	Description	URL
AccelConnectionTimeout	string	0	4096		Connection timeout for FAST accelerated transfers. If blank, connection timeout in the Copy/Move advanced options will be used. Otherwise, timeout is specified as X:Y where X is seconds and Y is bytes. The timeout will then be computed as X	<a href="https://kb.globalscape.com/Knowledgebase/11361">https://kb.globalscape.com/Knowledgebase/11361</a>
AccelFileSizeThresholds	string	0	4096		Sets the file size thresholds for accelerated transfers. Form is minMBytes maxSmallMBytes maxMediumMBytes. Files under minMBytes will use HTTPS rather than accelerated transfers. Files under maxSmallMBytes are considered small files while files over maxMediumMBytes are considered large files. DMZ uses these file size categories to	<a href="https://kb.globalscape.com/Knowledgebase/11361">https://kb.globalscape.com/Knowledgebase/11361</a>
AccelSSLConnectMaxHandshakeAttempts	uint32_t	1	4294967295	5	For a single FAST accelerated connection attempt, maximum number of SSL connection attempts to try in the presence	<a href="https://kb.globalscape.com/Knowledgebase/11361">https://kb.globalscape.com/Knowledgebase/11361</a>
AccelSSLConnectTimeBetweenHandshakeAttemptsInMs	uint32_t	0	4294967295	30.0.0	For a single FAST accelerated connection attempt, time between SSL handshake attempts in milliseconds.	<a href="https://kb.globalscape.com/Knowledgebase/11361">https://kb.globalscape.com/Knowledgebase/11361</a>
ADUsersAlwaysEnabled	bool	0	1	0	If it's true then users will always be enabled by AM for AD sites	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
AllowDeleteVFSFolders	bool	0	1	0	Enables/disables the ability for AD users to delete or rename VFS folders. Possible values: 0 - Do not allow AD users to delete/rename VFS folders; 1 - Allow AD users to delete/rename VFS	<a href="https://kb.globalscape.com/Knowledgebase/11005">https://kb.globalscape.com/Knowledgebase/11005</a>
AllowedHostHeaderList	string	0	4096	*	Allow host headers only to these values. The default is '*', which means all hosts.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
AllowMethodKIA	bool	0	1	1	Specifies whether to allow method KIA (1 to allow). Default 1.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>

AllowNonCACUsers	bool	0	1	0	True if to allow login of non CAC users for	<a href="https://kb.globalscape.com/KB/10683">https://kb.globalscape.com/KB/10683</a>
AllowToTryLoginUnlistedUsers	bool	0	1	0	Allows EFT to create accounts for unlisted users by NT4AccountName and UPN.	
applet_only	bool	0	1	0	This setting disables use of the PTC as a fallback if no WTC licenses are available. Possible values: 1 - If all WTC licenses are used then issue a message to this effect to the user instead of going to the PTC	<a href="https://kb.globalscape.com/Knowledgebase/10683">https://kb.globalscape.com/Knowledgebase/10683</a>
ARMLogMinStalledThreads	uint32_t	0	4294967295	0	The duration to use to determine if a thread should be considered "stalled." Meaning if this is set to 1000 then any thread that waits longer than 1 second is classified as stalled. This is used only for	<a href="https://kb.globalscape.com/Knowledgebase/11099">https://kb.globalscape.com/Knowledgebase/11099</a>
ARMLogStalledThreadMinDuration	uint32_t	1000	4294967295	1000	The minimum amount of time in milliseconds a thread must be waiting before it is considered stalled. Only used	<a href="https://kb.globalscape.com/Knowledgebase/11099">https://kb.globalscape.com/Knowledgebase/11099</a>
ARMQueueSize	uint32_t	1000	4294967295	100000	Maximum size of the ARM auditing queue.	<a href="https://kb.globalscape.com/KB/10683">https://kb.globalscape.com/KB/10683</a>
AS2TempFolderPath	string	0	4096		Path to the folder to store temporary files with AS2 requests (EFT install folder by	<a href="https://kb.globalscape.com/Knowledgebase/11099">https://kb.globalscape.com/Knowledgebase/11099</a>
AuditBannedSocketConnections				TRUE	Skip auditing of banned socket connections. Set to True by default	<a href="https://kb.globalscape.com/Knowledgebase/11508/">https://kb.globalscape.com/Knowledgebase/11508/</a>
AuditFailedAuthforNonExistingUsernames				FALSE	Skip auditing of all invalid username authentication attempts. Set to False by	<a href="https://kb.globalscape.com/Knowledgebase/11508/">https://kb.globalscape.com/Knowledgebase/11508/</a>
AuditFailedAuthforUsernameRoot				FALSE	Skip auditing of 'root' and 'administrator' invalid username authentication attempts. Set to False by default	<a href="https://kb.globalscape.com/Knowledgebase/11508/">https://kb.globalscape.com/Knowledgebase/11508/</a>
AuditFailedSocketConnectionsOther				TRUE	Skip auditing of other failed socket connections. Set to True by default	<a href="https://kb.globalscape.com/Knowledgebase/11508/">https://kb.globalscape.com/Knowledgebase/11508/</a>
AuditIsInternal				FALSE	Skip auditing of non-CRUD (IsInternal) transactions. Set to False by default	<a href="https://kb.globalscape.com/Knowledgebase/11508/">https://kb.globalscape.com/Knowledgebase/11508/</a>
AuditIsRESTAdmin				FALSE	Skip auditing of Administrative REST calls. Set to False by default	<a href="https://kb.globalscape.com/Knowledgebase/11508/">https://kb.globalscape.com/Knowledgebase/11508/</a>
AuditIsRESTRAMAgent				FALSE	Skip auditing of RAM REST calls. Set to	<a href="https://kb.globalscape.com/KB/10683">https://kb.globalscape.com/KB/10683</a>

AuditIsRESTUSER				FALSE	Skip auditing of user-initiated REST calls. Set to False by default	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
AuditIsRESTWorkspaceInternal				FALSE	Skip auditing of Workspaces config REST calls. Set to False by default	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
AuditRedundantUserAndPass				TRUE	Skip auditing of username and password for S/FTP/S events. Set to TRUE by default	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
AuditRESTWorkspaces				FALSE	Skip auditing of Workspaces REST calls. Set to False by default	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
AuditSuccessSocketConnections				FALSE	Skip auditing of successful socket	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
AuditUnimportantCommands	bool	0	1	0	Skip auditing of unimportant (non CRUD) operations. Set to FALSE by default	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
AuthManagerWithMultiStepChallenge	string	0	255		Specifies the challenge text to display after succeeding with AuthManager authentication, prompting user for RSA/RADIUS input. Default: Enter the RSA SecurID token to complete	<a href="https://kb.globalscape.com/Knowledgebase/11267">https://kb.globalscape.com/Knowledgebase/11267</a>
AutobanLimit	uint32_t	0	60.0.00	10.0.00	This key value sets the maximum number of IP autoban rules.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
AutobanSensitivityLevelForAdminConnections	uint32_t	0	5	3	This key value sets the flood/hammer autoban sensitivity level for admin connections. Possible values: 0 - Off 1 - Very low 2 - Low 3 - Medium (the default if the key is not present) 4 - High	<a href="https://kb.globalscape.com/Knowledgebase/11239">https://kb.globalscape.com/Knowledgebase/11239</a>

AutoDenyLoginAttempts withSpecificUsernames	string	0	4096	empty	Deny certain usernames without checking the user database, so you can reduce load on the authentication subsystem. String is not case-sensitive and UTF-8 is supported, if an incoming authentication is attempted with one of the usernames, they get immediate auth failure. EFT log will report the default auth error (no additional logging provided for this). On service start,	<a href="https://kb.globalscape.com/Knowledgebase/11509/">https://kb.globalscape.com/Knowledgebase/11509/</a>
AutoExportAllAWTasks ToFiles	bool	0	1	0	Automatic exporting all AWE tasks from EFT config db to aml files on disk	
AutoSelectPGPCiphers	bool	0	1	1	Enable or disable auto select PGP ciphers	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
AutoSelectPGPMAC	bool	0	1	1	Enable or disable auto select PGP MAC	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
CacheReservedFiles	bool	0	1	1	Cache reserved files for HTTP(S)	
CalculateQuotaForDisabledUsers	bool	0	1	1	Calculate disc quota for a user even if the user account is disabled.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
CalculateQuotaForNeverLoggedInUsers	bool	0	1	1	Calculate disc quota for a user even if the user has never logged in.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
CertTrustCheck	bool	0	1	0	ClientFTP use MS Trusted Store to check server SSL certificate	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
ChangePassByAD	bool	0	1	0	If this registry value is set to 0 or not set at all then LDAP is used to change passwords,	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
ClientFTPCacheLastConnectedIP	bool	0	1	0	If set to 1 this key value allows ClientFTP to cache the IP address of the last successful connection to the supplied host. Cache lasts for the lifetime of the ClientFTP.DLL, which can cause problems if DNS entries change. This caching is a legacy feature of	
ClientFTPOverrideLogging	bool	0	1	0	If set to true this key value causes ClientFTP to retain the client log files after	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
CloseFinishedItemLog	bool	0	1	1	Enable or disable removal of successful client logs. Non-zero means enabled. By default successful logs are removed. after	<a href="https://kb.globalscape.com/Knowledgebase/11239">https://kb.globalscape.com/Knowledgebase/11239</a>

CloudDownloadActionSanitizePathWithUnderscores	bool	0	1	0	Setting this to true will make Cloud Download Action replace incorrect characters with underscore (instead of URL	<a href="https://kb.globalscape.com/Knowledgebase/11411">https://kb.globalscape.com/Knowledgebase/11411</a>
CloudMultiPartSequentialTransfers	bool	0	1	0	Force sequential transferring of multi-part cloud uploads	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
ClusterCoherenceQueueDetectPrivateIP	string	0	128	autodetect	Determine whether to automatically detect private IP to advertise to other nodes. Default value is "autodetect". You can replace "autodetect" with the prefix of the IP address to find (e.g: "192.168" to	<a href="https://kb.globalscape.com/Knowledgebase/11391">https://kb.globalscape.com/Knowledgebase/11391</a>
ClusterCoherenceQueueMsmqType	string	0	128	msmq-multicast	Determines the type of coherence queue to use when using MSMQ. msmq-multicast uses multicast-based MSMQ queues to send administrative updates. msmq-iterative uses point-to-point MSMQ	<a href="https://kb.globalscape.com/Knowledgebase/11391">https://kb.globalscape.com/Knowledgebase/11391</a>
ClusterCoherenceQueueMulticastConfirmationTimeoutSecs	uint32_t	0	2147483647	30	Specifies how much time (in seconds) EFT HA cluster node should wait for own multicast MSMQ message to arrive to its own coherence queue before failing send	<a href="https://kb.globalscape.com/Knowledgebase/11504/">https://kb.globalscape.com/Knowledgebase/11504/</a>
ClusterCoherenceQueueMulticastMaxRetryCount	uint32_t	0	2147483647	5	Specifies how much retry attempts EFT HA cluster mode should make when sending multicast MSMQ message to coherence	<a href="https://kb.globalscape.com/Knowledgebase/11504/">https://kb.globalscape.com/Knowledgebase/11504/</a>
ClusteredRuleHeartbeatPeriodSecs	uint32_t	10	3600	10	This specifies the heartbeat period in seconds for clustered event rules. The smaller the period the sooner nodes will notice when another node has gone down, but more frequent heartbeats incur increased overhead for the production and	<a href="https://kb.globalscape.com/Knowledgebase/11504/">https://kb.globalscape.com/Knowledgebase/11504/</a>
ClusterOutOfSyncGracePeriodSecs	string	1	4294967295	10	more control and visibility over EFT's behavior when it comes to sync state,	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>

ClusterOutOfSyncHeals	uint32_t	0	4294967295	30	Amount of time in seconds that an HA node will wait for incoming administrative messages to arrive before declaring itself to be out-of-sync with the cluster and initiating draining and restart. Default is 30 seconds.	<a href="https://kb.globalscape.com/Knowledgebase/11391">https://kb.globalscape.com/Knowledgebase/11391</a>
CommandChannelTickl	uint32_t	0	4294967295	4		
CompressActionProcessorAffinityMask	string	0	4096		Sets the processor affinity mask for de/compression threads. Used to isolate de/compress threads to a subset of available processors in cases where CPU bandwidth is limited. An example value is 0x55555555 -- an alternating sequence of 0 and 1 bits to limit de/compress activity to half of the available processors, leaving the remaining processors to handle other activities. Caution: in some cases,	<a href="https://kb.globalscape.com/Knowledgebase/11239">https://kb.globalscape.com/Knowledgebase/11239</a>
CompressActionThrottle	string	0	4096		Compress Action Throttle: when this key is of the form X:Y, a compress action will sleep X milliseconds of every Y milliseconds elapsed. This throttle is used to avoid excessive CPU utilization on machines with limited CPU bandwidth. Does not apply to ZCompress compression or to decompression actions. Example value is	<a href="https://kb.globalscape.com/Knowledgebase/11239">https://kb.globalscape.com/Knowledgebase/11239</a>
CompressActionTimeout	uint32_t	0	4294967295	0	This key value sets the timeout in seconds for the de/compression action. The default is 0, meaning that the timeout	<a href="https://kb.globalscape.com/Knowledgebase/11239">https://kb.globalscape.com/Knowledgebase/11239</a>
ConnectionTimeout	uint32_t	0	4294967295	10	ClientFTP settings connection timeout; Override retry logic for ClientFTP.dll; (See also DefaultDelay, DefaultRetry)	
CopyClientFTPSettingsToRegistry	bool	0	1	0	Use this property to copy all ClientFTP settings to registry. Disabled by default.	

CreatePGPRSAKeyWith	bool	0	1	0	If set to true allowed create additionally	
CSPHeaderOverride	string	0	4096	default-src 'self' 'unsafe-inline' 'unsafe-eval' data;;	Use this string it as custom CSP header instead of default. An empty string turns off CSP header. default-src 'self' 'unsafe-inline' 'unsafe-eval' data;;	<a href="https://kb.globalscape.com/Knowledgebase/11435">https://kb.globalscape.com/Knowledgebase/11435</a>
CsrfCookieSameSitePolicy	string	0	255	Lax	Let server require that cookies shouldn't be sent with cross-site requests. Acceptable values are "Strict", "Lax", "None". Values other than these will result in "Strict" value. EFT v8 is set to Strict (0) by default. If you are using FF for Workspaces pickup, it will display a	
DecompressActionBeginFileTimeout	uint32_t	0	4294967295	0	This key value sets the timeout in milliseconds for the first BeginFile callback during decompression.	<a href="https://kb.globalscape.com/Knowledgebase/11239">https://kb.globalscape.com/Knowledgebase/11239</a>
DecompressActionScanTimeout	uint32_t	0	4294967295	0	This key value sets the timeout in milliseconds for a decompression action scan operation. Scan is used primarily when autodetecting the archive format.	<a href="https://kb.globalscape.com/Knowledgebase/11239">https://kb.globalscape.com/Knowledgebase/11239</a>
DefaultDelay	uint32_t	0	2147483647	5	This setting overrides ClientFTP's default delay in seconds for connection retries.; Override retry logic for ClientFTP.dll (See also DefaultRetry, ConnectionTimeout)	
DefaultRetry	uint32_t	0	2147483647	3	This setting overrides ClientFTP's default number of connection retry attempts. Override retry logic for ClientFTP.dll (See also DefaultDelay, ConnectionTimeout)	
DefaultTransferType	uint32_t	0	4294967295	0	ClientFTP settings transfer default transfer	<a href="https://kb.globalscape.com/Knowledgebase/11010">https://kb.globalscape.com/Knowledgebase/11010</a>
DelayBeforeVersionString	uint32_t	0	4294967295	0	Introduces a delay of the given number of milliseconds before ClientFTP sends its SSH version to a remote server.	<a href="https://kb.globalscape.com/Knowledgebase/11010">https://kb.globalscape.com/Knowledgebase/11010</a>

DeleteLogsAfterCloseT	bool	0	1	0	ClientFTP delete all logs after closing	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
DeleteOldLogs	bool	0	1	0	ClientFTP delete old logs after closing	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
DictionaryLegacyCheck IncludeSpecialDigits	bool	0	1	0	When true, EFT will not trim leading and trailing special characters (e.g. #, ~, !, etc. or numbers (0-9)) from password on	
DirectDownloadRedirectIfNoCSRFToken	bool	0	1	0	For direct downloads, redirect to obtain CSRF token if none is present. Default is	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
disable_xframeoptions	bool	0	1	0	This setting disables sending of the X-FRAME-OPTIONS header for the WTC and PTC. Possible values: 1 - Do not send X-FRAME-OPTIONS header otherwise - Send X-FRAME-OPTIONS header (the default if the key is not	<a href="https://kb.globalscape.com/Knowledgebase/10873">https://kb.globalscape.com/Knowledgebase/10873</a>
DisableARMFileImporter	bool	0	1	0	If set to 1 this key value disables the ARM auto import feature.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
DisableEFSChecksForPCIRReport	bool	0	1	1	Specifies whether to disable EFS check when for PCI Reports.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
DisableHTTPAccountSecurity	bool	0	1	0	This key value, when set to 1, disables the automatic HTTPS redirect for logins, forced password changes, lost username and	<a href="https://kb.globalscape.com/Knowledgebase/10708">https://kb.globalscape.com/Knowledgebase/10708</a>
DisableHTTPBasicAuthentication	bool	0	1	0	Setting this to true will disable basic authentication for HTTP/S.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
DisableUIInstallServiceButtonForNonServerAdminsAndNonLocalUser	bool	0	1	0	Force disable UI install service button for non server admins and non local users	
DiskQuotaBaselineCalculationFrequencyInDay	uint32_t	0	30	1	Disk quota baseline calculation frequency in days	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
DiskQuotaBaselineCalculationTimeoutInSec	uint32_t	1	4294967295	20	Disk quota baseline calculation timeout in seconds	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
DMZResolvesDNSNames	bool	0	1	0	When DMZ Gateway is used as outbound proxy for Event Rule offload actions, should host names be passed to DMZ GW for DNS resolution? Default value is false.	<a href="https://kb.globalscape.com/Knowledgebase/11434">https://kb.globalscape.com/Knowledgebase/11434</a>



DrainingTimeoutSecs	uint32_t	0	86400	900	Draining timeout in seconds to allow for ongoing event rules and transfers to complete. Default is 900 seconds (15 minutes). Maximum is 86400 seconds (24	<a href="https://kb.globalscape.com/Knowledgebase/11391">https://kb.globalscape.com/Knowledgebase/11391</a>
enable_iwa	bool	0	1	0	This setting is used to enable/disable Single Sign-On Support (SSO) using IWA for the WTC and PTC and applies to all AD sites on the server. This feature is only supported by IE. Possible values: 1 - Enable SSO for the WTC and PTC clients otherwise - SSO is not supported (the	<a href="https://help.globalscape.com/help/archive/eft6-3/mergedprojects/wtc/single-sign-on(sso)supportforthewtc.htm">https://help.globalscape.com/help/archive/eft6-3/mergedprojects/wtc/single-sign-on(sso)supportforthewtc.htm</a>
Enable10ColumnInClient	bool	0	1	0	ClientFTP Enable 10 column in client log	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
EnableCacheForDNType	bool	0	1	1	When non-zero or absent, EFT caches types of DNs at AM synchronization time	
EnableClientLogging	bool	0	1	1	Enable or disable client logs. Non-zero means enabled. By default logs are	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
EnableCreateRemotePathForSFTP	bool	0	1	1	ClientFTP enable SFTP remote path	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
EnableHTTPReferrerPolicyHeader	bool	0	1	1	When zero, disable sending HTTP Referrer-Policy header	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
EnableXferLog	bool	0	1	1	ClientFTP enable transfer logs	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
EncryptedFolderKey	string	0	64		The 256-bit key (represented by 64 hexadecimal digits) used to encrypt and decrypt files in Encrypted Folders. When missed or malformed, the default key is	<a href="https://kb.globalscape.com/Knowledgebase/10492">https://kb.globalscape.com/Knowledgebase/10492</a>
EventsCleanupDateType	uint32_t	0	2	0	Specifies how EFT will determine a file's age for Event Rule file cleanup. Possible values: 0 - Create Date and Modify Date (the default if the key is not present) 1 - Create Date	<a href="https://kb.globalscape.com/Knowledgebase/10579">https://kb.globalscape.com/Knowledgebase/10579</a>
EventWebServiceResponseAddContextVariables	bool	0	1	0	Setting this to true will add all context variables to event web service response.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>

EvtRuleChgLogMaxRecords	uint32_t	1000	1000000	500000	This key value sets the max. number of records returned by the database	
ExcludeVFolderInQuota	bool	0	1	0	Exclude virtual folders in quota calculation	<a href="https://kb.globalscape.com/Knowledgebase/11239">https://kb.globalscape.com/Knowledgebase/11239</a>
ExecuteTransferActionsInParallel	bool	0	1	0	Specifies whether to run a group (grouped by IF Statement) of Transfer Actions in parallel. Set to 1 to enable.	<a href="https://kb.globalscape.com/Knowledgebase/11239">https://kb.globalscape.com/Knowledgebase/11239</a>
FileSizeLimit	uint32_t	0	4294967295	100	ClientFTP settings transfer file size limit	
FileSystemItemThreshold	uint32_t	0	4294967295	50.0.0	Warn level log for File System logging if the number of files/folders in a listing is beyond the threshold Default threshold is 50.0.0 files.	<a href="https://kb.globalscape.com/Knowledgebase/11383">https://kb.globalscape.com/Knowledgebase/11383</a>
FileSystemTimeoutMsec	uint32_t	0	4294967295	20.0.00	Timeout for File System object in	<a href="https://kb.globalscape.com/Knowledgebase/10494">https://kb.globalscape.com/Knowledgebase/10494</a>
FileUploadEventResult	bool	0	1	0	If present and nonzero this causes the output of an event rule executed custom command to be sent back over the FTP	<a href="https://kb.globalscape.com/Knowledgebase/10494">https://kb.globalscape.com/Knowledgebase/10494</a>
FirstHealthCheckOnly	bool	0	1	0	A nonzero value causes only one folder monitor's health check to be executed instead of running the health check for all folder monitors possibly exhausting	<a href="https://kb.globalscape.com/Knowledgebase/10696">https://kb.globalscape.com/Knowledgebase/10696</a>
FixDoubleSlashInPathsForFTP	bool	0	1	0	Specifies whether to treat double slash as a single one in path arguments of FTP commands (1 to enable)	<a href="https://kb.globalscape.com/Knowledgebase/11239">https://kb.globalscape.com/Knowledgebase/11239</a>
FMRunActionsAsynchronously	bool	0	1	0	Specifies whether to allow to run folder monitor actions asynchronously (1 to allow) Default 0.	
FMWatcherStackSize	uint32_t	65536	1048576	65536	This value sets the Folder Monitor Watcher threads stack size in bytes. If nonexistent the default size, 64 KB, is used.	
FMWorkerStackSize	uint32_t	65536	1048576	131072	This value sets the Folder Monitor Worker threads stack size in bytes. If nonexistent the default size, 128 KB, is used.	

FolderMonitorFilterValue	uint32_t	0	4294967295	125	This setting specifies a filter used against folder monitor file system events. By OR'ing combinations of the following bit masks together a filter can be created that allows only certain kinds of events to be processed. By default all except security events are processed, corresponding to a filter value of 0x0.0.00.0.07D. Bit masks: 0x0.0.00.0.001 - file name change 0x0.0.00.0.004 - attribute change 0x0.0.00.0.008 - size change	<a href="https://kb.globalscape.com/Knowledgebase/10495">https://kb.globalscape.com/Knowledgebase/10495</a>
FolderMonitorHealthCheckTimeout	uint32_t	0	4294967295	20	This setting specifies EFT's timeout period to receive the folder monitor health check file creation notification. The default is 20 s if the registry value is	<a href="https://kb.globalscape.com/Knowledgebase/10682">https://kb.globalscape.com/Knowledgebase/10682</a>
FolderMonitorUseIOCP	bool	0	1	0	Specifies which thread model to use for the handling of folder monitor event notifications. Possible values: 0 - Use multi-threaded model, requires more memory but more robust (the default if the key is not present)	<a href="https://kb.globalscape.com/Knowledgebase/10669">https://kb.globalscape.com/Knowledgebase/10669</a>
FolderMonitorUseNonInteractiveLogon	bool	0	1	0	Determines whether Folder Monitor will use non interactive login when monitoring remote folders. Possible values: 0 - Use interactive login (the default if the key is not present) 1 - Use non-interactive login, may be needed if EFT does not belong to the same	<a href="https://kb.globalscape.com/Knowledgebase/10692">https://kb.globalscape.com/Knowledgebase/10692</a>
FolderMonitorWaitBeforeReconnect	uint32_t	0	4294967295	1	This setting specifies the delay in seconds before attempting to reconnect after a folder monitor rule has detected a disconnect. The default is 1 s if the registry	<a href="https://kb.globalscape.com/Knowledgebase/10681">https://kb.globalscape.com/Knowledgebase/10681</a>
FolderMonitorWorkerThreadCount	uint32_t	32	4294967295	64	The maximum number of concurrent threads for a folder monitor event rule.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>

ForwardedForHeader	string	0	255		Specifies the header, injected by load balancer, that contains origin IP address for connection. Default is blank, implying no trust in X-Forwarded-For or similar	<a href="https://kb.globalscape.com/Knowledgebase/11463">https://kb.globalscape.com/Knowledgebase/11463</a>
FoxLDAP	bool	0	1	0	Custom code for compatibility with Domino server. If enabled, the user's name is pre-validated before querying the system's auth manager. Possible values: 0 - disables pre-login name checks (the default if the key is not present) 1 - enables pre-login name checks	
FreeVFSLifeTime	uint32_t	0	4294967295	30	ClientFTP settings idle VFS lifetime	
FTPDiscardClientTimestamp	bool	0	1	0	Disregard client initiated FTP MFMT command to change the date/timestamp	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
FTPSYSTResponse	string	0	128		This setting specifies the string returned in the 215 response to the FTP SYST command. If this key is not present "UNIX	<a href="https://kb.globalscape.com/Knowledgebase/10601">https://kb.globalscape.com/Knowledgebase/10601</a>
GlobalSpeed	uint32_t	0	4294967295	0	ClientFTP settings transfer Command Channel Tickle During Upload; Only FTP/S and HTTP/S are affected by this setting. It simply divides the number in the registry by the number of current transfers and uses this value as a limit for each individual transfer. It counts all transfers including	

GSAWEMaxiumQueue dTasks	uint32_t	0	4294967295	0	The maximum number of AWE tasks that may be queued before dropping new tasks. If unspecified, the default value of 0 is used. 0 specifies no limit (unbounded).	<a href="https://kb.globalscape.com/Knowledgebase/10581/">https://kb.globalscape.com/Knowledgebase/10581/</a>
GSAWEObjectsPerServ erInstance	uint32_t	0	4294967295	1	The maximum number of AWE tasks that can run in a given AWE executable	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
GSFTPS_DB_TIMEOUT	uint32_t	0	4294967295	60	The number of seconds that are allowed for an ARM report to execute can be changed from the 60-second default.	<a href="https://kb.globalscape.com/Knowledgebase/10627">https://kb.globalscape.com/Knowledgebase/10627</a>
gw_keepalive	uint32_t	0	4294967295	300	This key is used to specify a value in seconds for the DMZ Gateway ping period. If the key is not present the default period	<a href="https://kb.globalscape.com/Knowledgebase/10023">https://kb.globalscape.com/Knowledgebase/10023</a>
gw_retryattempts	uint32_t	0	4294967295	10	This setting overrides DMZ Gateway number of connection retry attempts before next address resolving.	<a href="https://kb.globalscape.com/Knowledgebase/11416">https://kb.globalscape.com/Knowledgebase/11416</a>
HaErrorHandlerDrainSe rver	bool	0	1	0	When HaErrorHandler is recovering from an error, should it drain the server before restarting? Default value is false.	<a href="https://kb.globalscape.com/Knowledgebase/11391/">https://kb.globalscape.com/Knowledgebase/11391/</a>
HAPropagatedAcceptF ailureFatal	bool	0	1	0	Specifies whether to treat the failure to accept change propagated across the	
HSTSMaxAge	uint32_t	1	63072000	31536000	This key sets the max-age value for the HSTS (String-Transport-Security) header in	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
HttpCookieSameSitePo licy	string	0	255	Strict	Let server require that cookies shouldn't be sent with cross-site requests. Acceptable values are "Strict", "Lax", "None". Values other than these will result in "Strict" value. EFT v8 is set to Strict (0) by default. If you are using Edge for CAC authentication, it will display	<a href="https://kb.globalscape.com/Knowledgebase/11490/">https://kb.globalscape.com/Knowledgebase/11490/</a>
HTTPReferrerPolicyAttr ibuteString	string	0	255	no-referrer	When present, HTTP Referrer-Policy header will contain this value	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>

ICAPConnectionTimeoutInMs	uint32_t	0	4294967295	20.0.00	Sets the maximum timeout value, in ms, for the CIC module to wait for connections to and reading responses from remote ICAP server. Default 20.0.00 (20 sec).	
ICAPUsePOST	uint32_t	0	4294967295	0	Specifies whether to use PUT(0 - default) or POST(1) in CIC HTTP requests	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
ICAPUsePreview	uint32_t	0	4294967295	1	Specifies whether to use Preview mode (1 - default) or not(0) in CIC HTTP requests	
IgnoreFolderEncryption	bool	0	1	0	Ignore Folder Encryption status? Default	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
IgnoreNeverLoggedInLDAPUsers	bool	0	1	0	Specifies whether to load whole LDAP user database into EFT at once or to pull users one-by-one after successful logins. Default	<a href="https://kb.globalscape.com/Knowledgebase/11368">https://kb.globalscape.com/Knowledgebase/11368</a>
IgnoreZeroFiles	bool	0	1	1	Causes ClientFTP to ignore empty files when smart overwriting.	
IgnoreZeroUsersResult	bool	0	1	0	This registry setting along with the UserDatabaseSynchronizationMode setting determines how EFT handles the receipt of a zero user list when connecting to a LDAP/AD authentication server. Possible values: 0 - Normal behavior which is to drop all user/group associations 1 - If zero users received, abort and do not honor sync attempt. Event is logged to the	<a href="https://kb.globalscape.com/Knowledgebase/10486">https://kb.globalscape.com/Knowledgebase/10486</a>
InviteeRegistrationRoute	string	0	64	NewAccountPage	The policy defines a title page for Workspace Invitee. Acceptable values are "LoginPage" "LoginPageForDomainUser" "NewAccountPage" "NewAccountPage" is	
IPRulesLimit	uint32_t	0	60.0.00	50.0.0	This key value sets the maximum number of IP access related event rules.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
ISO8601noUTC	bool	0	1	0	Remove UTC designation from timestamp (Z or +/- 0:00 at end of timestamp) (true,	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
KeepSessionOpenAfterDirectDownload	bool	0	1	0	Setting this to true will keep web session alive after performing a download from a	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>

LegacyDirListBehavior	bool	0	1	0	Specifies whether to capture folder/file permission information during directory listings. Possible values: 0 - Capture folder/file permissions during folder listing (the default if the key is not present) non 0 - Do not capture folder/file permissions during folder listing (legacy behavior); user	<a href="https://kb.globalscape.com/Knowledgebase/10626">https://kb.globalscape.com/Knowledgebase/10626</a>
LegacySMTPSendBehavior	bool	0	1	1	This setting determines SMTP MIME support and send behavior. Possible values: 0 - legacy (EFT4) SMTP behavior 1 - EFT5 behavior supporting 8-bit MIME encoding and proper send/rcv sequencing	<a href="https://kb.globalscape.com/Knowledgebase/10497">https://kb.globalscape.com/Knowledgebase/10497</a>
LimitscClientBundle	uint32_t	0	4294967295	0	Limits how many times EFT will attempt to bundle scClientDefault is 0, meaning unlimited rebundling attempts. Any non 0 value will limit the amount of rebundle	<a href="https://kb.globalscape.com/Knowledgebase/11387">https://kb.globalscape.com/Knowledgebase/11387</a>
LogFlushTimer	uint32_t	100	4294967295	60000	CuteLogger queue flush timeout	
LogToWindowsEventViewer	uint32_t	0	3	0	Write EFT and ClientFTP logs to Windows Events log 0: no logs 1: EFT logs 2: ClientFTP logs	<a href="https://kb.globalscape.com/Knowledgebase/10488">https://kb.globalscape.com/Knowledgebase/10488</a>
MaxAnonymousAllUploadsSizeInGB	uint32_t	0	4294967295	10	Max allowed size for all anonymous (drop-off send and anon reply) in GB	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
MaxAnonymousRequests	uint32_t	0	4294967295	50	Max number of concurrent anonymous requests that can occur on a Site	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
MaxCaptchalInstances	uint32_t	0	4294967295	100	Max number of active CAPTCHAs	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
MaxCloudMonitorExecutorsPerSite	uint32_t	1	128	16	Maximum number of Cloud Monitor executor threads per site	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
MaxNumberConnections	uint32_t	0	2147483647	100	The maximum number of current connections for EFT's transfer engine.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
MaxNumberConnectionsPerSite	uint32_t	0	2147483647	100	Overrides the default maximum number of connections per site for ClientFTP.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>

MaxParallelFolderZippers	uint32_t	1	4294967295	40	Maximum number parallel of folder zipping activity on server	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
MaxReCaptchaParallelRequests	uint32_t	0	4294967295	30	Max number of Limit number of concurrent ReCaptcha validations on a Site	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
MaxReCaptchaRequestTimeoutInSecs	uint32_t	0	4294967295	30	Limit time of ReCaptcha validation	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
MaxSubItemsInZippedF	uint32_t	1	4294967295	32768	Maximum number of files/subfolders in	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
MODE_Z	bool	0	1	0	Enables Mode Z for client FTP	
MultipartUploadSessionTimeoutSecs	uint32_t	10	4294967295	30	This value sets the time period in seconds for the max time that any section of a multipart upload can go without the server receiving more info. Once this limit is	<a href="https://kb.globalscape.com/Knowledgebase/11333">https://kb.globalscape.com/Knowledgebase/11333</a>
OCSPStaplingCacheTim	uint32_t	0	4294967295	3600	OCSP Stapling cache timeout	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
OCSPStaplingEnable	bool	0	1	0	Enable stapling of OCSP responses in the TLS handshake	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
OCSPStaplingForceURL	string	0	4096		Override the OCSP responder URI specified in the certificate's AIA extension	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
OCSPStaplingResponseMaxAgeSec	uint32_t	0	2147483647	0	Maximum allowable age for OCSP stapling responses. Default value (0) means cache responses until 'nextUpdate'	<a href="https://kb.globalscape.com/Knowledgebase/11363">https://kb.globalscape.com/Knowledgebase/11363</a>
OCSPStaplingResponseTimeSkewSec	uint32_t	0	4294967295	300	Maximum allowable time skew for OCSP stapling response validation. Default value	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
OpenPGPFIPSCompliantAlgorithmsOnly	bool	0	1	0	Specifies whether to set the /n OpenPGP library to use only FIPS compliant algorithms (1 to enable). Default 0.	<a href="https://kb.globalscape.com/Knowledgebase/11172">https://kb.globalscape.com/Knowledgebase/11172</a>
PasswordChg_EmailInterval	string	0	4096		Number of days and frequency to send password change notifications for	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
PasswordChg_MsgFileLocation	string	0	4096		This specifies the location of the password change message files, used when sending notifications to WTC users when a password change is attempted. Applies	



PasswordChg_NTADLDAP	string	0	4096	off	This setting turns on/off the WTC NTAD/LDAP change password capability. Possible values: "on" - enables WTC change password capability	
PASVMode	uint32_t	0	4	2	ClientFTP settings transfer FTP Transfer	<a :https:="" <="" a="" href="https://kb.globalscape.com/" kb.globalscape.com=""></a>
PGPCompressionMethod	string	0	255	ZIP	Set PGP compression method. Acceptable values are "ZIP", "ZLIB". The string values are case-insensitive. Values other than these will result in no compression taking	<a 11374<="" :https:="" a="" href="https://kb.globalscape.com/Knowledgebase/11374" kb.globalscape.com="" knowledgebase=""></a>
PGPEncryptingAlgorithm	string	0	255	CAST5	Set PGP cipher algorithm. Acceptable values are "CAST5", "3DES", "AES256", "AES192", "AES128", "BLOWFISH", "TWOFISH", and "IDEA". The string values	<a 11369<="" :https:="" a="" href="https://kb.globalscape.com/Knowledgebase/11369" kb.globalscape.com="" knowledgebase=""></a>
PGPLogSuffixTemplate	string	0	1024		This specifies the template to be used for the generation of the PGP log filename	<a :https:="" <="" a="" href="https://kb.globalscape.com/Knowledgebase/" kb.globalscape.com="" knowledgebase=""></a>
PGPTaskExecutionTimeout	uint32_t	0	4294967295	60.0.000	This setting specifies the number of milliseconds for the PGP task execution timeout. The default is 600,0.0.0 ms (10 minutes) if the registry value is not	<a 10878<="" :https:="" a="" href="https://kb.globalscape.com/Knowledgebase/10878" kb.globalscape.com="" knowledgebase=""></a>
PortListenIP	uint32_t	0	4294967295	0	ClientFTP settings transfer PORT listening	
PreventPasswordResetUnauthorizedEmail	uint32_t	0	4294967295	0	Default value is 0 and non-existent. If enabled and set to 1, will prevent password reset unauthorized emails from being sent out for users that do not have	<a 11386<="" :https:="" a="" href="https://kb.globalscape.com/Knowledgebase/11386" kb.globalscape.com="" knowledgebase=""></a>
QuantityUnitForDelete	uint32_t	0	4294967295	3	ClientFTP delete logs older than (in	<a :https:="" <="" a="" href="https://kb.globalscape.com/" kb.globalscape.com=""></a>
QueueBufferSize	uint32_t	255	4294967295	32768	CuteLogger queue buffer size.	
QueuedAsyncSubroutinesLimit	uint32_t	0	4294967295	0	The maximum number of asynchronous event rule subroutines that may be queued before dropping new subroutine. A value of 0 (default) indicates there is no limit.	<a 11497="" :https:="" <="" a="" href="https://kb.globalscape.com/Knowledgebase/11497/" kb.globalscape.com="" knowledgebase=""></a>
ReceiveBufferSize	uint32_t	0	4294967295	65536	ClientFTP settings transfer Command Channel Tickle During Upload	

RedirectHTTPtoHTTPS	bool	0	1	0	When this registry value is present and nonzero the following occur: The HTTP engine will be turned on even if the checkbox is off All HTTP requests will be serviced such that we immediately return a redirect to the HTTPS version of that same URL DMZ Gateway configuration updated	<a href="https://kb.globalscape.com/Knowledgebase/10501">https://kb.globalscape.com/Knowledgebase/10501</a>
RemoveLeadingSlash	bool	0	1	0	remove leading slash for CWD command	<a href="https://kb.globalscape.com/Knowledgebase/11510/">https://kb.globalscape.com/Knowledgebase/11510/</a>
RenderDPIAReportAsJSON	bool	0	1	1	If set to true, JSON format is used when rendering Data Protection Impact Assessment (DPIA) report.; used to change	<a href="https://kb.globalscape.com/Knowledgebase/11200">https://kb.globalscape.com/Knowledgebase/11200</a>
ReplaceBackslashWithSlashInPathsForFTP	bool	0	1	1	Specifies whether to replace backslash with slash in path arguments of FTP commands (1 to enable). Default 1.	<a href="https://kb.globalscape.com/Knowledgebase/10705">https://kb.globalscape.com/Knowledgebase/10705</a>
ReplaceBackslashWithSlashInPathsForSFTP	bool	0	1	1	Specifies whether to replace backslash with slash in path arguments of SFTP commands (1 to enable). Default 1.	<a href="https://kb.globalscape.com/Knowledgebase/11497/">https://kb.globalscape.com/Knowledgebase/11497/</a>
ReplaceExistingOnRename	bool	0	1	0	This value specifies whether to replace existing files upon rename. Possible values: 1 - Overwrite existing file upon rename otherwise - Leave existing file alone and issue an error (the default if the key is not	<a href="https://kb.globalscape.com/Knowledgebase/11433">https://kb.globalscape.com/Knowledgebase/11433</a>
ReuseSSLData	bool	0	1	0	ClientFTP caching SSL session info for consequent connections	<a href="https://kb.globalscape.com/Knowledgebase/11433">https://kb.globalscape.com/Knowledgebase/11433</a>
RunningAsyncSubroutinesLimit	uint32_t	0	4294967295	10	The maximum number of simultaneous asynchronous event rule subroutines running. A value of 0 indicates there is no	<a href="https://kb.globalscape.com/Knowledgebase/11433">https://kb.globalscape.com/Knowledgebase/11433</a>
RunningTaskLimit	uint32_t	0	4294967295	10	The maximum number of simultaneous AWE processes. A value of 0 indicates	<a href="https://kb.globalscape.com/Knowledgebase/11433">https://kb.globalscape.com/Knowledgebase/11433</a>
SamlAssertionSignatureEnforcementLevel	uint32_t	0	4	0	Level of SAML assertion signature enforcement: 0 - required (default), 1 - not required if message signed, 2 - enforce if present, 3 - ignore result, 4 - do not	<a href="https://kb.globalscape.com/Knowledgebase/11433">https://kb.globalscape.com/Knowledgebase/11433</a>

SamlMessageSignatureEnforcementLevel	uint32_t	0	3	1	Level of SAML message signature enforcement: 0 - required, 1 - enforce if present (default), 2 - ignore result, 3 - do	<a href="https://kb.globalscape.com/Knowledgebase/11433">https://kb.globalscape.com/Knowledgebase/11433</a>
SAMLSSOClockSkewToleranceInMs	uint32_t	0	4294967295	180.0.00	WebSSO / SAMLSSO Clock skew tolerance in milliseconds.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SAMLSSODigestAlgo	string	0	255	sha256	Specifies the SAML Digest Algorithm to use. Default value is sha256.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SAMLSSOSignatureAlgo	string	0	255	rsa-sha256	Specifies the SAML Signature Algorithm to use. Default value is rsa-sha256.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SemaphoreDelay	uint32_t	1	4294967295	20.0.00	This key value sets the time limit (in milliseconds) a thread is allowed to keep a	
SendQUIT	bool	0	1	0	ClientFTP settings connection send QUIT	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SerialRetriesWhenUsingSameConnectionSettings	bool	0	1	1	Enable or disable legacy ClientFTP logic: perform transfer retries in a serial mode when using the same connection settings	<a href="https://kb.globalscape.com/Knowledgebase/11263">https://kb.globalscape.com/Knowledgebase/11263</a>
ServeRobotsFile	bool	0	1	0	Setting this to true will allow access to the robots.txt file. A summary of what this is supposed to accomplish can be found at <a href="http://www.robotstxt.org/robotstxt.html">http://www.robotstxt.org/robotstxt.html</a>	<a href="https://kb.globalscape.com/Knowledgebase/11480">https://kb.globalscape.com/Knowledgebase/11480</a>
SFTP2_AES128	bool	0	1	1	Setting to 1 enables the AES128 cipher	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SFTP2_AES128CTR	bool	0	1	1	Setting to 1 enables the AES128CTR cipher	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SFTP2_AES256	bool	0	1	1	Setting to 1 enables the AES256 cipher	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SFTP2_AES256CTR	bool	0	1	1	Setting to 1 enables the AES256CTR cipher	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SFTP2_ARCFOUR	bool	0	1	1	Setting to 1 enables the ARCFOUR cipher	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SFTP2_AuthByKey	bool	0	1	0	Enable ClientFTP SFTP authentication by	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SFTP2_AuthByPassword	bool	0	1	1	Enable ClientFTP SFTP authentication by	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SFTP2_Blowfish	bool	0	1	1	Setting to 1 enables the Blowfish cipher	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SFTP2_CAST128	bool	0	1	1	Setting to 1 enables the CAST128 cipher	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SFTP2_Log	bool	0	1	0	Set to 1 to enable ClientFTP SFTP logging.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SFTP2_Log_Level	uint32_t	0	2147483647	9	ClientFTP SFTP log level.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SFTP2_MD5	bool	0	1	1	Setting to 1 enables the MD5 MAC	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SFTP2_MD5_96	bool	0	1	1	Setting to 1 enables the MD5_96 MAC	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SFTP2_SHA1	bool	0	1	1	Setting to 1 enables the SHA1 MAC	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SFTP2_SHA1_96	bool	0	1	1	Setting to 1 enables the SHA1_96 MAC	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>

SFTP2_SHA2_256	bool	0	1	1	Setting to 1 enables the SHA2_256 MAC	<a href="https://kb.globalscape">https://kb.globalscape</a>
SFTP2_SHA2_512	bool	0	1	1	Setting to 1 enables the SHA2_512 MAC	<a href="https://kb.globalscape">https://kb.globalscape</a>
SFTP2_TripleDES	bool	0	1	1	Setting to 1 enables the TripleDES cipher	<a href="https://kb.globalscape">https://kb.globalscape</a>
SFTP2_Twofish	bool	0	1	1	Setting to 1 enables the Twofish cipher	<a href="https://kb.globalscape">https://kb.globalscape</a>
SFTP2_TWOFISH128	bool	0	1	1	Setting to 1 enables the TWOFISH128	<a href="https://kb.globalscape">https://kb.globalscape</a>
SFTP2_TWOFISH256	bool	0	1	1	Setting to 1 enables the TWOFISH256	<a href="https://kb.globalscape">https://kb.globalscape</a>
SFTP2_UseCompression	bool	0	1	1	Enable ClientFTP SFTP compression.	<a href="https://kb.globalscape">https://kb.globalscape</a>
SFTP2PrivateKey	string	0	4096		ClientFTP SFTP private key.	<a href="https://kb.globalscape">https://kb.globalscape</a>
SFTP2PublicKey	string	0	4096		ClientFTP SFTP public key.	<a href="https://kb.globalscape">https://kb.globalscape</a>
SFTPDiscardClientTimestamp	bool	0	1	0	Disregard client initiated SFTP SSH_FXP_FSETSTAT and SSH_FXP_SETSTAT command to change the date/timestamp	<a href="https://kb.globalscape.com/Knowledgebase/11385">https://kb.globalscape.com/Knowledgebase/11385</a>
SFTPEnableGroupsExchangeKex	bool	0	1	1	Enable or disable diffie-hellman-group-exchange-sha1 and diffie-hellman-group-exchange-sha256 KEXes for SFTP	<a href="https://kb.globalscape.com/Knowledgebase/11456">https://kb.globalscape.com/Knowledgebase/11456</a>
SFTPOutQueueBytesLimit	uint32_t	0	4294967295	1048576	Specifies(in bytes) upper limit of SFTP out queue. 0 - no limit	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
SFTPProcessThreadStackSize	uint32_t	0	2097152	524288	The EFT SFTP Engine currently creates a separate SFTP processing thread to service each SFTP connection. By default these threads inherit the default reserved stack size of the main application thread, which is typically 1MB. This registry entry may be used to specify an alternate reserved stack size in environments where memory consumption is of concern. Care should be taken when reducing the reserved memory stack size lower than the default as if the	
ShowLogTimeStamps	bool	0	1	1	ClientFTP show timestamps in logs	<a href="https://kb.globalscape">https://kb.globalscape</a>
ShowQuotaControls	bool	0	1	0	Show quota controls	<a href="https://kb.globalscape">https://kb.globalscape</a>

ShutdownHttpsListenerOnDrain	bool	0	1	0	Determines if EFT should shutdown the HTTP/S server socket(s) immediately upon entering draining. 1 shutdowns listeners immediately, 0 leaves them open. Default value is 0 to leave HTTP/S listeners open to	<a href="https://kb.globalscape.com/Knowledgebase/11391/">https://kb.globalscape.com/Knowledgebase/11391/</a>
SiteStartDelay	uint32_t	0	4294967295	0	Insert a small delay, in milliseconds prior to the initial Site start. 0 means no delay and is the default behavior. Any other value equals to milliseconds delay	<a href="https://kb.globalscape.com/Knowledgebase/11450">https://kb.globalscape.com/Knowledgebase/11450</a>
SiteStartRetries	uint32_t	0	4294967295	0	Retry Site start if the startup failed due to ports in use error. 0 means no Retry and is the default behavior. Any other value indicates number of retries(e.g. 1, 3, 15,	<a href="https://kb.globalscape.com/Knowledgebase/11450">https://kb.globalscape.com/Knowledgebase/11450</a>
SiteStartRetryDelay	uint32_t	0	4294967295	0	A Retry delay for the Site start retry, in milliseconds. 0 means no Retry delay and is the default behavior. Any other value	<a href="https://kb.globalscape.com/Knowledgebase/11450">https://kb.globalscape.com/Knowledgebase/11450</a>
SSLCertificate	string	0	4096		ClientFTP client SSL certificate	<a href="https://kb.globalscape.com/Knowledgebase/11450">https://kb.globalscape.com/Knowledgebase/11450</a>
SSLPrivateKey	string	0	4096		ClientFTP client SSL private key	<a href="https://kb.globalscape.com/Knowledgebase/11450">https://kb.globalscape.com/Knowledgebase/11450</a>
StatisticsAuditInterval	string	1	9999999	60	(in minutes)When EFT is running, it writes to the ServerStats.db and SiteStats.db tables once an hour, one ROW for each occurrence. The snapshot interval can be changed with an advanced property, StatisticsAuditInterval. 60 minutes is the default. The shortest interval allowed is 1.	<a href="https://kb.globalscape.com/Knowledgebase/11498/">https://kb.globalscape.com/Knowledgebase/11498/</a>
TimerStackSize	uint32_t	0	4294967295	393216	This value sets the timer stack size in bytes. If nonexistent or 0 the legacy size, 1	<a href="https://kb.globalscape.com/Knowledgebase/11450">https://kb.globalscape.com/Knowledgebase/11450</a>
TraceLIST	uint32_t	0	4294967295	0	ClientFTP trace list	<a href="https://kb.globalscape.com/Knowledgebase/11450">https://kb.globalscape.com/Knowledgebase/11450</a>
TransmitBufferSize	uint32_t	0	4294967295	65536	ClientFTP settings transfer Command	
TreatSkipAsFailure	bool	0	1	0	Treat skip result as a failure when	<a href="https://kb.globalscape.com/Knowledgebase/11450">https://kb.globalscape.com/Knowledgebase/11450</a>

twofactor_continue_messages	string	0	128		Two factor continue prompts; Comma-separated list of RSA or RADIUS server challenge messages (like "XXXXXXX. Press enter to continue.") for which EFT Web login page displays Continue button.	
UnitForDeleteLogs	uint32_t	0	2	2	ClientFTP unit for logs deletion (0 - minutes, 1 - hours, 2 - days)	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
UploadsPerClient	uint32_t	0	4294967295	0	This key value sets the maximum number of client uploads to use together with an interval (specified in UploadsPerClientInterval) to derive a	<a href="https://kb.globalscape.com/Knowledgebase/10500">https://kb.globalscape.com/Knowledgebase/10500</a>
UploadsPerClientInterval	uint32_t	0	4294967295	0	This key value sets the interval (in seconds) to use together with the maximum number of client uploads (specified in UploadsPerClient) to derive a maximum	<a href="https://kb.globalscape.com/Knowledgebase/10500">https://kb.globalscape.com/Knowledgebase/10500</a>
UplReqDel	bool	0	1	0	Specifies whether delete permission is checked when uploading files. Possible values: 0 - Only upload permission is used to determine if a file can be uploaded, always overwriting existing files (the default if the key is not present)	<a href="https://kb.globalscape.com/Knowledgebase/10506">https://kb.globalscape.com/Knowledgebase/10506</a>
UseAbsolutePath	bool	0	1	0	If true, ClientFTP references remote files/folders by their absolute (full) path. Otherwise, it first changes working directory to file/folders's parent and then references the file/foldr by name. CuteFTP	
UseAbsolutePathForLIST	bool	0	1	0	Same as UseAbsolutePath but only for when doinf folder listing. CuteFTP help	
UseAuthManagerPasswordForMultistep	bool	0	1	0	When non-zero, EFT, after successful authenticating user with their password against site's auth manager, uses the password to authenticate the user against	<a href="https://kb.globalscape.com/Knowledgebase/11267">https://kb.globalscape.com/Knowledgebase/11267</a>

UseAuthManagerWithMultiStep	bool	0	1	0	When non-zero, causes Authentication to FIRST uses the site's auth manager and, if succeeded, proceed to RSA/RADIUS	<a href="https://kb.globalscape.com/Knowledgebase/11267">https://kb.globalscape.com/Knowledgebase/11267</a>
UseBufferedArchiveWriter	bool	0	1	0	Setting this to 1 causes buffering of config file updates before a file write is	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
UseCRCCheckWithRules	bool	0	1	0	ClientFTP use CRC check for smart overwrite	
UseExclusiveSharingModeForUploads	bool	na	na	0	When non-zero, EFT uses exclusive sharing mode for file uploads to lock the file so that other applications can't affect the	
UseLegacySFTP	bool	0	1	0	Switch to the old implementation of SFTP	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
UseLimitPortRange	bool	0	1	0	ClientFTP settings transfer limit port range; If, true, uses "PortListenIP".	
UseLISTCommand	bool	0	1	1	ClientFTP use LIST command for smar	
UseMD5PasswordHash	bool	0	1	0	Allows EFT to Accept ODBC Database Passwords that are MD5 Hashed if key	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
_UserAgent	string	0	4096	TED.6	ClientFTP user agent name\version; allows overriding HTTP "User-Agent" header for	
UserAccountTriggersOnOriginatingNodeOnly	bool	0	1	1	Setting this to true will make User Account Triggers to run on originating node only.	
UserDatabaseSynchronizationMode	uint32_t	0	2	0	This registry setting along with the IgnoreZeroUsersResult setting determines how EFT handles the receipt of a zero user list when connecting to a LDAP/AD authentication server. Possible values: 0 - Normal behavior which is to drop all user/group associations 1 - Log auth provider synchronization to event log, but otherwise normal behavior 2 - Log auth provider synchronization and do not delete users	<a href="https://kb.globalscape.com/Knowledgebase/10486">https://kb.globalscape.com/Knowledgebase/10486</a>

UseRESTBeforeAPPE	bool	0	1	1	ClientFTP settings transfer default transfer type; If true, ClientFTP first tries REST command to resume FTP upload, and then, If fails, tries APPE. CuteFTP help may	
UseSIZECommand	bool	0	1	1	ClientFTP use SIZE command for smart	
UseSSLCertificate	bool	0	1	0	ClientFTP client use SSL certificate	<a href="https://kb.globalscape.com/Knowledgebase/11010">https://kb.globalscape.com/Knowledgebase/11010</a>
WaitForServerVersion	bool	0	1	0	If set to 1 causes ClientFTP to wait for the receipt of the remote server's SSH version message before sending its own SSH	<a href="https://kb.globalscape.com/Knowledgebase/11010">https://kb.globalscape.com/Knowledgebase/11010</a>
WebServiceTimeout	uint32_t	0	4294967295	60	This value sets the timeout period in seconds when Webservices is called via a	<a href="https://kb.globalscape.com/Knowledgebase/10478">https://kb.globalscape.com/Knowledgebase/10478</a>
WildcardFailMode	bool	0	1	0	If set to one this value causes a "file not found" error to be generated by an event rule if using the *.* wildcard and no files were found, otherwise if nonexistent or 0 the default behavior is to not treat this as	<a href="https://kb.globalscape.com/Knowledgebase/11500/">https://kb.globalscape.com/Knowledgebase/11500/</a>
WorkspaceInviteExpirationPeriodDays	uint32_t	0	4294967295	5	Specify the Workspace invitation expiration days. If not set = 5; if 0, same as	<a href="https://kb.globalscape.com/Knowledgebase/11384">https://kb.globalscape.com/Knowledgebase/11384</a>
WorkspacesCleanupRecurrence	uint32_t	0	2	0	Determines the recurrence strategy for cleaning up workspaces: 0 - minutely (default), 1 - hourly, 2 - daily	<a href="https://kb.globalscape.com/Knowledgebase/11384">https://kb.globalscape.com/Knowledgebase/11384</a>
WSInviteFromAddrUseOwnerEmail	uint32_t	0	4294967295	0	This override changes the sender for Workspace Messages 0 - Recipient receives Workspace Invites from User and Secure Send from SMTP Server, 1 - Recipient receives Workspace Messages from the SMTP server, 2 - Recipient receives Workspace Messages from the User. Set default for WSInviteFromAddrUseOwnerEmail = 1 to	<a href="https://kb.globalscape.com/Knowledgebase/11384">https://kb.globalscape.com/Knowledgebase/11384</a>



WTCTimeOut	uint32_t	0	4294967295	5	This value sets the timeout period in minutes for an idle WTC session.	<a href="https://kb.globalscape.com/Knowledgebase/">https://kb.globalscape.com/Knowledgebase/</a>
------------	----------	---	------------	---	--	---