

EFT E-mail Messages

THE INFORMATION IN THIS ARTICLE APPLIES TO:

- EFT Enterprise version 6.2 and later

DISCUSSION

EFT generates several different types of e-mail messages during operation. Some messages can be edited within the administration interface, while others must be edited within a text file that you create. The various e-mails and their uses are described below. (Note that each e-mail is also described in the user guide. Click the links below for more information.)

To allow e-mails to be sent from the Advanced Workflow Engine, you must define a registry value so that the AWE knows which SMTP server to use.

E-Mail	Description	Where Edited
Audit failure notification e-mail	Sent when database connection errors occur	System message; not editable
Password reset reminder message	Notify users of their pending password expiration up to 30 days prior to the password expiration date--applies to all users on the Server	Administration interface, Server node > General tab
Password reset required message	Notify users that their password has expired--applies to all users on the Server	Administration interface, Server node > General tab
User login credentials message	E-mail that contains the login credentials for connecting to EFT Server--applies to all users on the Server	Administration interface, Server node > General tab
Connection Banner Message	When a client first connects to the Site via FTP, but before the user logs on, the connection banner appears.	Administration interface, Site > Connections tab > FTP/S Config > FTP Settings dialog box
User Limit Reached Message	Message that appears to the user when the maximum simultaneous connections limit is exceeded	Administration interface, Site > Connections tab > FTP/S Config > FTP Settings dialog box

EFT E-mail Messages

Quit Session Messages	Message that appears when the client closes the session gracefully by using the FTP QUIT command.	Administration interface, Site > Connections tab > FTP/S Config > FTP Settings dialog box
E-mail Notification Message	E-mail sent with the Send Mail Action when an Event Rule is triggered.	Administration interface, Server node > Event Rules node > Event Rule
AD password expiration e-mail	Notify users when that their password is about to expire	Windows Registry to enable, then create the file PasswordChg_PwdWillExpire.txt and save it in the \web\public\EFTClient subdirectory
WTC change AD password error	Current password is entered incorrectly	Create the file PasswordChg_PasswordWrong.txt and save it in the \web\public\EFTClient subdirectory
	Network connection error	Create the file PasswordChg_NetworkProblem.txt and save it in the \web\public\EFTClient subdirectory
	User does not have permission from AD to change the password	Create the file PasswordChg_Permission.txt and save in the \web\public\EFTClient subdirectory
	New password does not meet the AD complexity requirements	Create the file PasswordChg_PasswordComplexity.txt and save it in the \web\public\EFTClient subdirectory

.telerik-reTable-2 { border-collapse: collapse; border: solid 0px; font-family: Tahoma; }

.telerik-reTable-2 tr.telerik-reTableHeaderRow-2 { border-width: 1.0pt 1.0pt 3.0pt 1.0pt;

margin-top: 0in; margin-right: 0in; margin-bottom: 10.0pt; margin-left: 0in; line-height:

115%; font-size: 11.0pt; font-family: "Calibri" , "sans-serif"; width: 119.7pt; border: solid

white 1.0pt; border-bottom: solid white 3.0pt; background: #4F81BD; padding: 0in 5.4pt

EFT E-mail Messages

```
0in 5.4pt; color: #FFFFFF; } .telerik-reTable-2 td.telerik-reTableHeaderFirstCol-2 {
border-width: 1.0pt 1.0pt 3.0pt 1.0pt; border: solid white 1.0pt; border-bottom: solid white
3.0pt; padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-2 td.telerik-reTableHeaderLastCol-2 {
border-width: 1.0pt 1.0pt 3.0pt 1.0pt; border: solid white 1.0pt; border-bottom: solid white
3.0pt; padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-2 td.telerik-reTableHeaderOddCol-2 {
border-width: 1.0pt 1.0pt 3.0pt 1.0pt; border: solid white 1.0pt; border-bottom: solid white
3.0pt; padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-2 td.telerik-reTableHeaderEvenCol-2
{ border-width: 1.0pt 1.0pt 3.0pt 1.0pt; border: solid white 1.0pt; border-bottom: solid
white 3.0pt; padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-2 tr.telerik-reTableOddRow-2 {
color: #666666; background-color: #F2F3F4; font-size: 10pt; vertical-align: top; }
.telerik-reTable-2 tr.telerik-reTableEvenRow-2 { color: #666666; background-color:
#E7EBF7; font-size: 10pt; vertical-align: top; } .telerik-reTable-2
td.telerik-reTableFirstCol-2 { margin-top: 0in; margin-right: 0in; margin-bottom: 10.0pt;
margin-left: 0in; line-height: 115%; font-size: 11.0pt; font-family: "Calibri" , "sans-serif";
width: 119.7pt; border-top: none; border-left: solid white 1.0pt; border-bottom: none;
border-right: solid white 3.0pt; background: #4F81BD; padding: 0in 5.4pt 0in 5.4pt; color:
#FFFFFF; } .telerik-reTable-2 td.telerik-reTableLastCol-2 { padding: 0in 5.4pt 0in 5.4pt; }
.telerik-reTable-2 td.telerik-reTableOddCol-2 { padding: 0in 5.4pt 0in 5.4pt; }
.telerik-reTable-2 td.telerik-reTableEvenCol-2 { padding: 0in 5.4pt 0in 5.4pt; }
.telerik-reTable-2 tr.telerik-reTableFooterRow-2 { color: #666666; background-color:
#FFFFFF; font-size: 10pt; vertical-align: top; padding: 0in 5.4pt 0in 5.4pt; }
.telerik-reTable-2 td.telerik-reTableFooterFirstCol-2 { margin-top: 0in; margin-right: 0in;
margin-bottom: 10.0pt; margin-left: 0in; line-height: 115%; font-size: 11.0pt; font-family:
"Calibri" , "sans-serif"; width: 119.7pt; border-top: none; border-left: solid white 1.0pt;
border-bottom: none; border-right: solid white 3.0pt; background: #4F81BD; padding: 0in
5.4pt 0in 5.4pt; color: #FFFFFF; } .telerik-reTable-2 td.telerik-reTableFooterLastCol-2 {
padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-2 td.telerik-reTableFooterOddCol-2 {
padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-2 td.telerik-reTableFooterEvenCol-2 {
padding: 0in 5.4pt 0in 5.4pt; }
```

GlobalSCAPE Knowledge Base

<https://kb.globalscape.com/Knowledgebase/10711/EFT-Email-Messages>