

EFT v7.2 Advanced Properties (registry)

THE INFORMATION IN THIS ARTICLE APPLIES TO:

- EFT v7.2 and later

DISCUSSION

The following advanced properties were added for EFT v7.2. It is recommended that you use these advanced properties only after discussions with Globalscape Technical Support or your account manager. Misuse of these registry changes can cause undesirable results.

AutobanSensitivityLevelForAdminConnections

Registry Path: SOFTWARE\Wow6432Node\GlobalSCAPE Inc.\EFT Server 7.2

Type: DWORD

Default Value: 3

Minimum Value: 0

Maximum Value: 5

Cached: no

Backup/Restore: no

Description: This key value sets the flood/hammer auto-ban sensitivity level for admin connections.

Possible values:

0 - Off

1 - Very low

2 - Low

3 - Medium (the default if the key is not present)

4 - High

5 - Very high

CloseFinishedItemLog

Registry Path: Software\Wow6432Node\Globalscape\TED 6\Settings\LogWindow

EFT v7.2 Advanced Properties (registry)

Type: DWORD

Default Value: true

Cached: yes

Backup/Restore: yes

Description: Enable or disable removal of successful client logs. Non-zero means enabled. By default successful logs are removed.

CompressActionProcessorAffinityMask

Registry Path: SOFTWARE\Wow6432Node\GlobalSCAPE Inc.\EFT Server 7.2

Type: STRING

Default Value: none

Max Length: 4096

Cached: yes

Backup/Restore: no

Description: Sets the processor affinity mask for de/compression threads. Used to isolate de/compress threads to a subset of available processors in cases where CPU bandwidth is limited. An example value is 0x55555555 -- an alternating sequence of 0 and 1 bits to limit de/compress activity to half of the available processors, leaving the remaining processors to handle other activities. Caution: in some cases, de/compression COM errors have been observed when setting this AdvancedProperty.

CompressActionThrottle

Registry Path: SOFTWARE\Wow6432Node\GlobalSCAPE Inc.\EFT Server 7.2

Type: STRING

Default Value: none

Max Length: 4096

Cached: yes

Backup/Restore: no

Description: Compress Action Throttle: when this key is of the form X:Y, a compress action will sleep X milliseconds of every Y milliseconds elapsed. This throttle is used to avoid

EFT v7.2 Advanced Properties (registry)

excessive CPU utilization on machines with limited CPU bandwidth. Does not apply to ZCompress compression or to decompression actions. Example value is 200:400 to sleep 200 milliseconds of every 400 milliseconds elapsed.

CompressActionTimeout

Registry Path: SOFTWARE\Wow6432Node\GlobalSCAPE Inc.\EFT Server 7.2

Type: DWORD

Default Value: 0

Minimum Value: 0

Maximum Value: 4294967295

Cached: no

Backup/Restore: no

Description: This key value sets the timeout in seconds for the de/compression action. The default is 0, meaning that the timeout is disabled.

DecompressActionBeginFileTimeout

Registry Path: SOFTWARE\Wow6432Node\GlobalSCAPE Inc.\EFT Server 7.2

Type: DWORD

Default Value: 0

Minimum Value: 0

Maximum Value: 4294967295

Cached: no

Backup/Restore: no

Description: This key value sets the timeout in milliseconds for the first BeginFile callback during decompression. Default is 0, meaning the timeout is disabled.

DecompressActionScanTimeout

Registry Path: SOFTWARE\Wow6432Node\GlobalSCAPE Inc.\EFT Server 7.2

Type: DWORD

Default Value: 0

EFT v7.2 Advanced Properties (registry)

Minimum Value: 0

Maximum Value: 4294967295

Cached: no

Backup/Restore: no

Description: This key value sets the timeout in milliseconds for a decompression action scan operation. Scan is used primarily when autodetecting the archive format. Default is 0, meaning the timeout is disabled

EnableClientLogging

Registry Path: SOFTWARE\Wow6432Node\GlobalSCAPE Inc.\EFT Server 7.2

Type: DWORD

Default Value: true

Cached: yes

Backup/Restore: yes

Description: Enable or disable client logs. Non-zero means enabled. By default logs are enabled.

ExcludeVFolderInQuotaCalc

Registry Path: SOFTWARE\Wow6432Node\GlobalSCAPE Inc.\EFT Server 7.1

Type: DWORD

Default value: 0

Possible values: 1 or 0

Cached: yes

Backup/restore: yes

Description: If this value is set to 1, virtual folders are not evaluated when calculating a user's quota restriction.

ExecuteTransferActionsInParallel

Registry Path: SOFTWARE\Wow6432Node\GlobalSCAPE Inc.\EFT Server 7.2

Type: DWORD

EFT v7.2 Advanced Properties (registry)

Default Value: false

Cached: yes

Backup/Restore: no

Description: Specifies whether to run a group (grouped by IF Statement) of Transfer Actions in parallel. Set to 1 to enable. Default is 0

FixDoubleSlashInPathsForFTP

Registry Path: SOFTWARE\Wow6432Node\GlobalSCAPE Inc.\EFT Server 7.2

Type: DWORD

Default Value: false

Cached: yes

Backup/Restore: yes

Description: Specifies whether to treat double slash as a single one in path arguments of FTP commands (1 to enable). Default 0

GlobalSCAPE Knowledge Base

<https://kb.globalscape.com/Knowledgebase/11239/EFT-v72-Advanced-Properties-...>