

## SMTP registry setting for Automate 10

### THE INFORMATION IN THIS ARTICLE APPLIES TO:

- EFT 7.4.7.15 - 8.1.0.x

For version 8.2, refer to [Configure Outgoing Mail Settings for Advanced Workflows in v8.2](#).

EFT v8.0 and later store Advanced Properties in a JSON file. When you upgrade from EFT v7.4.x to EFT v8, the non-default settings that you have defined in the registry will be added to the Advanced Properties file during upgrade. (Default settings become part of the EFT configuration files.) For a more on how to use advanced properties, and a spreadsheet of the advanced properties, please refer to the "Advanced Properties" topic in the help for your version of EFT.

### DISCUSSION

EFT v7.4.7.15, the Advanced Workflow Engine was updated to a new version.

#### In EFT v8 - 8.1.x

Add the name:value pair to the AdvancedProperties.JSON file in EFT's \ProgramData\ directory as described in the "Advanced Properties" topic in the online help for your version of EFT.

For example:

```
{  
  "SMTPServer":"email server name",  
  "SMTPPort":"25",  
  "SMTPUser":"username",  
  "SMTPPassword":"password"  
}
```

#### In versions prior to v8.0:


## SMTP registry setting for Automate 10

The SMTP server registry key was updated to the following:

[HKEY\_LOCAL\_MACHINE\Software\WOW6432Node\Automate\Automate 10\TaskService\Mail]

### Values:

Name	Type	Data
SMTPServer	REG_SZ	email server name
SMTPPort	REG_DWORD	port number (e.g., 0X00000019 (25); 25 is the port number)
SMTPUser	REG_SZ	username
SMTPPassword	REG_SZ	password (appears encrypted in the registry after you enter it)



## SMTP registry setting for Automate 10

GlobalSCAPE Knowledge Base

<https://kb.globalscape.com/Knowledgebase/11423/SMTP-registry-setting-for-Au...>