

EFT Version Compatibility

THE INFORMATION IN THIS ARTICLE APPLIES TO:

- EFT v7.0.x and later

DISCUSSION

The table below lists the versions of EFT, the version numbers of the bundled modules, and the main features in each release.

(This table only highlights the main features added. Refer to the release notes in the [Client Success Portal](#) for details of your version.)

EFT version	WTC/ Shadowfax version	ME version	Outlook Add-in version	Insight	Main Features added	Date Released
8.0.2	1.4.8.5/ 0.15.19	N/A	1.4.2.1	1.0.7	<ul style="list-style-type: none">• Added option to enable FACT table updates for ARM reporting• Ground-up rewrite of the Workspaces portals: Request file, Drop-off, Send, and Pick-up resulting	26 Mar 2020

EFT Version Compatibility

- in
tremendous
performance
gains
- Ability
to
Secure
Send
without
attachment
(Send
portal
and
Outlook
Add-in)
- Ability
to
redirect
to login
page
instead
of
registration
page
for
internal
domains
- Password-protected
pickup -
Allow or
require
senders
to
require
recipients
to
provide
a,
out-of-band
passcode

EFT Version Compatibility

					before accessing files	
8.0.1	1.4.8.5/ 0.15.19	;N/A	1.4.2.1	1.0.7	<ul style="list-style-type: none">• Added Secrets Module to connect to Azure Key Vault for secret storage• Added ability to connect to Azure Data Lake Storage (ADLS) via Folder Monitor Event Rule with override VFS credentials• Added ability to scan files for	10 Feb 2020

EFT Version Compatibility

malware
and
DLP
with
ICAP
server
in EFT
Express
using
the
Content
Integrity
Control
Action

8.0.0.38

1.4.8.5/
0.15.19

N/A

1.4.2.1

1.0.7

15 Jan 2019

- Non-default Registry settings moved to an AdvancedProperties.JSON file
- EFT config moved to SQLite DB files (for easier EFT migration)
- Ability to generate Support data from within

EFT Version Compatibility

- the EFT interface
- OpenPGP and SSL now defined at Site level and saved in DB files
- Updated PGP library to IP*Works! OpenPGP 2016
- Added privacy and other GDPR-related features
- New Event Rule actions: create or set variable action, run PowerShell action,

EFT Version Compatibility

					<ul style="list-style-type: none"> Subroutine action, "enable this account" added to User Account action Event Rules now saved in JSON instead of XML Workspaces/WTC now built in Angular 5 Many others; refer to Change Log for details
7.4.13.15	1.4.7.5/ 0.8.15	N/A	1.4.0.4	1.0.7 • Supports • EFT Enterprise v7.4.7, • 7.4.9, 7.4.10, 7.4.11	<ul style="list-style-type: none"> Fix for 14 Mar 2019 vulnerability OpenSSH version updated to v7.9 OpenSSL version updated to

EFT Version Compatibility

					<ul style="list-style-type: none"> v1.0.2q • Updated SQL Server drivers to allow use of newer Transport Layer Security (TLS) protocols • Support for Windows Server 2019 • Added User Account action • Vulnerability patches available for earlier versions
7.4.11	1.4.6.5/ 0.8.15	N/A	1.4.0.3	1.0.6 •	<ul style="list-style-type: none"> Updated 24 Oct 2018 OpenSSL to 1.0.2p • Updated AS2 to latest libraries including choice
				Supports EFT Enterprise v7.4.7, 7.4.9, 7.4.10, 7.4.11	

EFT Version Compatibility

					<ul style="list-style-type: none">of ciphers• Updated SFTP library in line with current FIPS compliance standards• Updated language support for French, German, Spanish and Dutch• Hid the disk quota feature by default as it remains experimental
7.4.10	1.4.5	N/A	1.4.0	1.0.5 • 1.0.6 (7.4.10.6+)	Option 21 Aug 2018 to show full name vs. logon name in WTC profile

EFT Version Compatibility

- AD Site: Option to authenticate users via Active Directory while managing permissions internally in EFT
- LDAP Site: Option to hide Forgot Password link for internal/external facing domains
- LDAP Site: Option to not allow LDAP logins for external facing domains

7.4.9

1.4.5

N/A

1.4.0.60

1.0.5 •

RAM Agents **17 Jul 2018**

1.0.6

can

EFT Version Compatibility

(7.4.9.11+)

now
perform
client
transfers
to any
server
you
designate,
rather
than
only
back to
the
home
EFT
Server

- Shorter update intervals
- New options for when an agent fails
- System environment variables in remote agent rules
- Remote Agent Condition for relevant File System

EFT Version Compatibility

- triggers
in event
rules
- LDAP
Site:
Automatically
remove/disable
account
after X
days of
inactivity
- Option
to
specify
custom
LDAP
attributes
that are
configured
at the
site
level
and
map to
those in
the
user
template
level
- Internal
(LDAP)
users
must
not
authenticate
when
visiting
external
URL
- Added

EFT Version Compatibility

ability
to
construct
internal
URL
hyperlinks
in
notification
emails
based
on
recipient
domain

- Added
ability
to
specify
internal
domain
certificate
in
instance
where
direct
connection
is made
that
bypasses
DMZ
Gateway
- Added
ability
for AD
sites to
automatically
remove
accounts
after X
days of
inactivity

EFT Version Compatibility

7.4.7	1.4.5.11	Removed from Installer	1.4.0.3	1.0.5 • 1.0.6 (7.4.7.18+)	<ul style="list-style-type: none">• EFT SMB is now EFT Express• In EFT Enterprise, the High Security Module is now the Advanced Security module (ASM)• In EFT Express, the High Security Module is now the Express Security module (ESM)• The Advanced Authentication module (AAM) and Content Integrity Control (CIC)	15 May 2018
--------------	----------	------------------------	---------	---------------------------------	---	-------------

EFT Version Compatibility

features
have
been
merged
into the
Advanced
Security
module

- The
Mobile
Transfer
Client
has
been
merged
into EFT
Enterprise
(requires
additional
licenses
in EFT
Express)
- The
Cloud
Connector
module
functionality
has
been
merged
into EFT
Enterprise;
(requires
license
for
Express)
- Added
remote
administration
through

EFT Version Compatibility

DMZ

Gateway® with [Secure PNC](#)

- Added to EFT Outlook Add-In: [Secure message delivery](#), encryption support, and digital signature support
- [Remote Agent](#) updates
- Agent status is changed from "Active" to "Enrolled"
- [Advanced Workflow Engine \(AWE\)](#) updated to v10; Before upgrading EFT Enterprise, you must upgrade to Insight v1.0.5

EFT Version Compatibility

so that the AWE tables are created in Insight (to be able to see the AWE information in Insight

7.4.5.6	1.4.5.3	4.3.0.5	1.0.1.3	1.0.3 •	Removed	21 Nov 2017
				1.0.4	Java option code from login page	
					• Added RAM and CCM	
					• Added AWS S3 and Azure Blob storage to Connection Profiles	
					• Added REST endpoint	

EFT Version Compatibility

- Implement robots.txt so that WTC does not appear in web search
- Added feature to Request Files in Workspaces
- Added option to Secure Message Body in Workspaces
- Removed local notes.txt file (version history)

7.4.2.4

1.4.2.5

4.3.0.5

1.0.1.2

1.0.2 WTC

29 Aug 2017

unlimited
now
included in
HTTP/S
module;
added HA
unicast and
drain mode,
support for

EFT Version Compatibility

autoscaling
in AWS;
added
SSL/TLS
logging;
added
diffie-hellman-group-exchange-sha256
KEX; added
WS drop-off
and reply
portals;
removed
SAT from
EFT installer

7.3.7.12

1.3.0.10

4.3.0.5

1.0.1.2

N Support for
SFTP KEX
ciphers; Site
search
includes
Connection
profiles;
SSL/TLS
logging;
password
reset confir.
email
template;
Workspaces
invite comes
from
sender's
email
address
instead of
EFT SMTP
address

1 Aug 2017

EFT Version Compatibility

7.3.6.17	1.3.0	4.3.0	1.0.0.11	1.0.2 Added 2016 support, SMTP test, SMTP TLS, OCSP, ARM schema, SSL 1.0.2k; "1 million users" update. Change from .AUD	3 Feb 2017
7.2.9.9	1.2.1	4.2.2	NA	1.0.1 reg overrides for QUIT, PGP encrypt, PGP compression, more EFT.log entries	2 Mar 2017
7.2.8.5	1.2.1	4.2.2	NA	1.0.1 Upgraded WTC to 1.2.1, SSL SHA2, SFTP flow control	8 Feb 2017
7.3.5.4	1.3.0	4.3.0	1.0.0	1.0.1 Upgraded WTC, PGP logging, SSL SHA2, SFTP flow control	8 Feb 2017
7.3.3.21	1.2.2	4.3.0	1.0.0	1.0.1 AAM; SAML; Outlook Add-In; WebSSO	6 Dec 2016

EFT Version Compatibility

7.3.2.8	1.2.2	4.3.0	NA	Y WTC CAL (license requirement removed in v 7.4.2.4)	30 Aug 2016
7.3.0	1.2.1	4.2.2	NA	N Acceleration	25 Apr 2016
7.2.6	1.2.1	4.2.2	NA	1.0.1 SSL v1.0.2j; HSTS	6 Dec 2016
7.2.4	1.1.3	4.2.2	NA	1.0.1 SSL v1.0.2h	5 Jul 2016
7.2.2	1.2.1	4.2.2	NA	1.0.1 SMB Automation modules: Folder Monitor, Timer, File Transfer Client; backup run-on node; upgraded PGP	15 Feb 2016
7.2.1	1.2.1	4.2.2	NA	N Workspaces update	10 Feb 2016
7.2.0	1.2.0	4.2.2	NA	N Event Rule Folders; perform folder operation; if file exists;	25 Oct 2015

EFT Version Compatibility

					even rule admin	
7.1.5	1.1.2	4.2.2	NA	1.0.1 Fixes		23 Oct 2015
7.1.3	1.1.2	4.2.2	NA	1.0.1 SSL, PGP updates		22 Jul 2015
7.1.2	1.1.2	4.2.2	NA	1.0.1 Fixes, enhancements		24 Jun 2015
7.1	1.1.2	4.2.1	NA	1.0.1 Workspaces		2 Mar 2015
7.0.3 R2	1.1.1	4.1.1	NA	N Updated to SSL v0.9.8zc		24 Oct 2014
7.0.3	1.1.0	4.1.0	NA	N CIC module		13 Oct 2014
7.0.1	1.0.1	4.1.0	NA	N HTTP CRC calculation logging		11 Aug 2014

```
.telerik-reTable-2 { border-collapse: collapse; border: solid 0px; font-family: Tahoma; }
.telerik-reTable-2 tr.telerik-reTableHeaderRow-2 { border-width: 1.0pt 1.0pt 3.0pt 1.0pt;
margin-top: 0in; margin-right: 0in; margin-bottom: 10.0pt; margin-left: 0in; line-height:
115%; font-size: 11.0pt; font-family: "Calibri" , "sans-serif"; width: 100pt; border: solid
white 1.0pt; border-bottom: solid white 3.0pt; background: #4F81BD; padding: 0in 5.4pt
0in 5.4pt; color: #FFFFFF; } .telerik-reTable-2 td.telerik-reTableHeaderFirstCol-2 {
border-width: 1.0pt 1.0pt 3.0pt 1.0pt; border: solid white 1.0pt; border-bottom: solid white
3.0pt; padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-2 td.telerik-reTableHeaderLastCol-2 {
border-width: 1.0pt 1.0pt 3.0pt 1.0pt; border: solid white 1.0pt; border-bottom: solid white
3.0pt; padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-2 td.telerik-reTableHeaderOddCol-2 {
border-width: 1.0pt 1.0pt 3.0pt 1.0pt; border: solid white 1.0pt; border-bottom: solid white
3.0pt; padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-2 td.telerik-reTableHeaderEvenCol-2
{ border-width: 1.0pt 1.0pt 3.0pt 1.0pt; border: solid white 1.0pt; border-bottom: solid
```

EFT Version Compatibility

```
white 3.0pt; padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-2 tr.telerik-reTableOddRow-2 {
color: #666666; background-color: #F2F3F4; vertical-align: top; } .telerik-reTable-2
tr.telerik-reTableEvenRow-2 { color: #666666; background-color: #E7EBF7; vertical-align:
top; } .telerik-reTable-2 td.telerik-reTableFirstCol-2 { margin-top: 0in; margin-right: 0in;
margin-bottom: 10.0pt; margin-left: 0in; line-height: 115%; font-size: 11.0pt; font-family:
"Calibri" , "sans-serif"; width: 100pt; border-top: none; border-left: solid white 1.0pt;
border-bottom: none; border-right: solid white 3.0pt; background: #4F81BD; padding: 0in
5.4pt 0in 5.4pt; color: #FFFFFF; } .telerik-reTable-2 td.telerik-reTableLastCol-2 { padding:
0in 5.4pt 0in 5.4pt; } .telerik-reTable-2 td.telerik-reTableOddCol-2 { padding: 0in 5.4pt 0in
5.4pt; } .telerik-reTable-2 td.telerik-reTableEvenCol-2 { padding: 0in 5.4pt 0in 5.4pt; }
.telerik-reTable-2 tr.telerik-reTableFooterRow-2 { color: #666666; background-color:
#FFFFFF; vertical-align: top; padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-2
td.telerik-reTableFooterFirstCol-2 { margin-top: 0in; margin-right: 0in; margin-bottom:
10.0pt; margin-left: 0in; line-height: 115%; font-size: 11.0pt; font-family: "Calibri" ,
"sans-serif"; width: 100pt; border-top: none; border-left: solid white 1.0pt; border-bottom:
none; border-right: solid white 3.0pt; background: #4F81BD; padding: 0in 5.4pt 0in 5.4pt;
color: #FFFFFF; } .telerik-reTable-2 td.telerik-reTableFooterLastCol-2 { padding: 0in 5.4pt
0in 5.4pt; } .telerik-reTable-2 td.telerik-reTableFooterOddCol-2 { padding: 0in 5.4pt 0in
5.4pt; } .telerik-reTable-2 td.telerik-reTableFooterEvenCol-2 { padding: 0in 5.4pt 0in 5.4pt;
}
```

GlobalSCAPE Knowledge Base

<https://kb.globalscape.com/Knowledgebase/11475/EFT-Version-Compatibility>