

## RFCs Referenced in EFT Documentation

Listed below are several of the RFCs referenced in EFT documentation.

RFC	Description	URL
	775 DIRECTORY ORIENTED FTP COMMANDS	<a href="http://www.ietf.org/rfc/rfc775.txt">http://www.ietf.org/rfc/rfc775.txt</a>
	959 FTP spec; complete list of FTP/S return codes	<a href="http://www.ietf.org/rfc/rfc959.txt">http://www.ietf.org/rfc/rfc959.txt</a>
	1652 SMTP Service Extension for 8bit-MIME transport	<a href="http://www.ietf.org/rfc/rfc1652.txt">http://www.ietf.org/rfc/rfc1652.txt</a>
	1945 Hypertext Transfer Protocol -- HTTP/1.0	<a href="http://www.ietf.org/rfc/rfc1945.txt">http://www.ietf.org/rfc/rfc1945.txt</a>
	1954 Transmission of Flow Labelled IPv4 on ATM Data Links Ipsilon Version 1.0 (basic auth, HTTP standard)	<a href="http://www.ietf.org/rfc/rfc1954.txt">http://www.ietf.org/rfc/rfc1954.txt</a>
	1991 PGP Message Exchange Formats	<a href="http://www.ietf.org/rfc/rfc1991.txt">http://www.ietf.org/rfc/rfc1991.txt</a>
	2046 Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types	<a href="http://www.ietf.org/rfc/rfc2046.txt">http://www.ietf.org/rfc/rfc2046.txt</a>
	2068 Hypertext Transfer Protocol -- HTTP/1.1	<a href="http://www.ietf.org/rfc/rfc2068.txt">http://www.ietf.org/rfc/rfc2068.txt</a>
	2183 Communicating Presentation Information in Internet Messages: The Content-Disposition Header Field (Section 2.3: filename parameters)	<a href="http://www.ietf.org/rfc/rfc2183.txt">http://www.ietf.org/rfc/rfc2183.txt</a>
	2184 MIME Parameter Value and Encoded Word Extensions: Character Sets, Languages, and Continuations (AS2 does not comply with this RFC)	<a href="http://www.ietf.org/rfc/rfc2184.txt">http://www.ietf.org/rfc/rfc2184.txt</a>
	2228 FTP Security Extensions (To establish the SSL link, explicit security requires that the FTP client issue a specific command to the FTP server after establishing a connection. The default FTP	<a href="http://www.ietf.org/rfc/rfc2228.txt">http://www.ietf.org/rfc/rfc2228.txt</a>

## RFCs Referenced in EFT Documentation

server port is used. )

2251	Lightweight Directory Access Protocol (v3)	<a href="http://www.ietf.org/rfc/rfc2251.txt">http://www.ietf.org/rfc/rfc2251.txt</a>
2252	Lightweight Directory Access Protocol (v3): Attribute Syntax Definitions	<a href="http://www.ietf.org/rfc/rfc2252.txt">http://www.ietf.org/rfc/rfc2252.txt</a>
2254	The String Representation of LDAP Search Filters	<a href="http://www.ietf.org/rfc/rfc2254.txt">http://www.ietf.org/rfc/rfc2254.txt</a>
2389	Feature negotiation mechanism for the File Transfer Protocol	<a href="http://www.ietf.org/rfc/rfc2389.txt">http://www.ietf.org/rfc/rfc2389.txt</a>
2428	FTP Extensions for IPv6 and NATs (incl client-initiated negotiation of EPRT and EPSV)	<a href="http://www.ietf.org/rfc/rfc2428.txt">http://www.ietf.org/rfc/rfc2428.txt</a>
2440	OpenPGP Message Format	<a href="http://www.ietf.org/rfc/rfc2440.txt">http://www.ietf.org/rfc/rfc2440.txt</a>
2460	Internet Protocol, Version 6 (IPv6) Specification	<a href="http://www.ietf.org/rfc/rfc2460.txt">http://www.ietf.org/rfc/rfc2460.txt</a>
2616	HTTP	<a href="http://www.ietf.org/rfc/rfc2616.txt">http://www.ietf.org/rfc/rfc2616.txt</a>
2732	IPv6--literal addresses not supported	<a href="http://www.ietf.org/rfc/rfc2732.txt">http://www.ietf.org/rfc/rfc2732.txt</a>
3335	MIME-based Secure Peer-to-Peer Business Data Interchange over the Internet	<a href="http://www.ietf.org/rfc/rfc3335.txt">http://www.ietf.org/rfc/rfc3335.txt</a>
3492	Punycode: A Bootstring encoding of Unicode for Internationalized Domain Names in Applications (IDNA)	<a href="http://www.ietf.org/rfc/rfc3492.txt">http://www.ietf.org/rfc/rfc3492.txt</a>
3659	Extensions to FTP; Response info for MDTM, section 3.4	<a href="http://www.ietf.org/rfc/rfc3659.txt">http://www.ietf.org/rfc/rfc3659.txt</a>
4057	IPv6 Enterprise Network Scenarios	<a href="http://www.ietf.org/rfc/rfc4057.txt">http://www.ietf.org/rfc/rfc4057.txt</a>
4130	MIME-Based Secure Peer-to-Peer Business Data Interchange Using HTTP, Applicability Statement 2 (AS2)	<a href="http://www.ietf.org/rfc/rfc4130.txt">http://www.ietf.org/rfc/rfc4130.txt</a>
4253	The Secure Shell (SSH) Transport Layer Protocol; SFTP identification string,	<a href="http://www.ietf.org/rfc/rfc4253.txt">http://www.ietf.org/rfc/rfc4253.txt</a>

## RFCs Referenced in EFT Documentation

section 4.2.
--------------

```
.telerik-reTable-2 { border-collapse: collapse; border: solid 0px; font-family: Tahoma; }
.telerik-reTable-2 tr.telerik-reTableHeaderRow-2 { border-width: 1.0pt 1.0pt 3.0pt 1.0pt;
margin-top: 0in; margin-right: 0in; margin-bottom: 10.0pt; margin-left: 0in; line-height:
115%; font-size: 11.0pt; font-family: "Calibri" , "sans-serif"; width: 119.7pt; border: solid
white 1.0pt; border-bottom: solid white 3.0pt; background: #4F81BD; padding: 0in 5.4pt
0in 5.4pt; color: #FFFFFF; } .telerik-reTable-2 td.telerik-reTableHeaderFirstCol-2 {
border-width: 1.0pt 1.0pt 3.0pt 1.0pt; border: solid white 1.0pt; border-bottom: solid white
3.0pt; padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-2 td.telerik-reTableHeaderLastCol-2 {
border-width: 1.0pt 1.0pt 3.0pt 1.0pt; border: solid white 1.0pt; border-bottom: solid white
3.0pt; padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-2 td.telerik-reTableHeaderOddCol-2 {
border-width: 1.0pt 1.0pt 3.0pt 1.0pt; border: solid white 1.0pt; border-bottom: solid white
3.0pt; padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-2 td.telerik-reTableHeaderEvenCol-2
{ border-width: 1.0pt 1.0pt 3.0pt 1.0pt; border: solid white 1.0pt; border-bottom: solid
white 3.0pt; padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-2 tr.telerik-reTableOddRow-2 {
color: #666666; background-color: #F2F3F4; vertical-align: top; } .telerik-reTable-2
tr.telerik-reTableEvenRow-2 { color: #666666; background-color: #E7EBF7; vertical-align:
top; } .telerik-reTable-2 td.telerik-reTableFirstCol-2 { margin-top: 0in; margin-right: 0in;
margin-bottom: 10.0pt; margin-left: 0in; line-height: 115%; font-size: 11.0pt; font-family:
"Calibri" , "sans-serif"; width: 119.7pt; border-top: none; border-left: solid white 1.0pt;
border-bottom: none; border-right: solid white 3.0pt; background: #4F81BD; padding: 0in
5.4pt 0in 5.4pt; color: #FFFFFF; } .telerik-reTable-2 td.telerik-reTableLastCol-2 { padding:
0in 5.4pt 0in 5.4pt; } .telerik-reTable-2 td.telerik-reTableOddCol-2 { padding: 0in 5.4pt 0in
5.4pt; } .telerik-reTable-2 td.telerik-reTableEvenCol-2 { padding: 0in 5.4pt 0in 5.4pt; }
.telerik-reTable-2 tr.telerik-reTableFooterRow-2 { color: #666666; background-color:
#FFFFFF; vertical-align: top; padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-2
td.telerik-reTableFooterFirstCol-2 { margin-top: 0in; margin-right: 0in; margin-bottom:
10.0pt; margin-left: 0in; line-height: 115%; font-size: 11.0pt; font-family: "Calibri" ,
"sans-serif"; width: 119.7pt; border-top: none; border-left: solid white 1.0pt;
border-bottom: none; border-right: solid white 3.0pt; background: #4F81BD; padding: 0in
5.4pt 0in 5.4pt; color: #FFFFFF; } .telerik-reTable-2 td.telerik-reTableFooterLastCol-2 {
padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-2 td.telerik-reTableFooterOddCol-2 {
padding: 0in 5.4pt 0in 5.4pt; } .telerik-reTable-2 td.telerik-reTableFooterEvenCol-2 {
padding: 0in 5.4pt 0in 5.4pt; }
```

GlobalSCAPE Knowledge Base

<https://kb.globalscape.com/Knowledgebase/11162/RFCs-Referenced-in-EFT-Docum...>